












Quotation Sheet








NO.	Product Name	Picture	Item No.and Color	Size	Unit	1~10 rolls (usd/roll)	FOB (usd/roll)	EXW (usd/roll)	Description	durable temperature	Installation	Thickness for film & glue (MM)	Backing paper(Gram)	G.W.(kg)/1R oil	N.W.(kg)/1R oil	Packaging length(m)	Packaging width(m)	Packaging height(m)	Paking Volume(m ³)	Life span	Remark	
1	3D Carbon fiber sticker (no air channel)		CF-05(black) CF-06(gold) CF-07(silver) CF-08(date red) CF-09(blue) CF-10(red) CF-11(orange) CF-12(white) CF-13(transparent) CF-14(dark gray) CF-15(green) CF-16(pink)	1.27X30M	roll	58	55	52	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel ,to paste with water	0.165+0.01	140	13	12	1.31	0.16	0.16	0.03	UP TO 3 YEARS	reusable restorable through heat gun	
	3D Carbon fiber sticker (with air channel)		CF-31(black) CF-32(gold) CF-33(silver) CF-34(white) CF-35 (blue) CF-36 (red) CF-37(orange) CF-38(dark red) CF-39(transparent) CF-40(gray) CF-41(army green)	1.52X30M	roll	102	98	95	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel ,to paste without water	0.175*-0.01	140	17	16	1.56	0.16	0.16	0.04	UP TO 3 YEARS	reusable restorable through heat gun	
2	3D Carbon fiber fabric sticker		CF-20(black) CF-21(red) CF-22(silver) CF23(dark gray)	1.27X30M	roll	130	125	120	PU,flexibility ,waterproof,anti-uv	-30℃ to 140℃	without air channel ,to paste without water	0.445*-0.01	140	16	15	1.3	0.195	0.192	0.05	UP TO 2 YEARS	wrapping on both inside and outside of car	
3	2D carbon fiber sticker		CF-01(black) CF-02(gold)	1.27X30M	roll	70	65	60	normal raw material and china glue	-30℃ to 140℃	without air channel , to paste withwater	0.135*-0.01	140	13	12	1.31	0.16	0.16	0.03	UP TO 2 YEARS	glossy carbon fiber	
				1.52X30M	roll	105	98	90	normal raw material and china glue	-30℃ to 140℃	without air channel , to paste withwater	0.135*-0.01	120	18	17	1.56	0.16	0.16	0.04	UP TO 2 YEARS	glossy carbon fiber	
4	Lamp Film (A-Class)		KLS-76(red) KLS-77(orange) KLS-79(transparent) KLS-79(purple) KLS-80(pink) KLS-81(blue) KLS-82(light black) KLS-83(matte black) KLS-84(dark black) KLS-85(ligt green) KLS-86(dark green) KLS-86(yellow)	0.60X30M	roll	45	44	43	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	depend on order	6.0	depend on order	depend on order	depend on order	depend on order	depend on order	UP TO 2 YEARS	three layers ,include back paper ,film,protection film
				0.4X30M	roll	30.5	30	28.5	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	depend on order	4.3	depend on order	depend on order	depend on order	depend on order	depend on order	UP TO 2 YEARS	three layers ,include back paper ,film,protection film
				0.3X30M	roll	22.5	21	19.6	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	depend on order	3.2	depend on order	depend on order	depend on order	depend on order	depend on order	UP TO 2 YEARS	three layers ,include back paper ,film,protection film
				0.6X10M	roll	15.3	14.67	14.33	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	depend on order	2.1	depend on order	depend on order	depend on order	depend on order	depend on order	UP TO 2 YEARS	three layers ,include back paper ,film , protection film
				0.4X10M	roll	10	9.5	9	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	1.6	1.84	0.41	0.11	0.11	0.005	UP TO 2 YEARS	three layers ,include back paper ,film,protection film (18 rolls each carton the carton size is 65cm*43cm*36cm)	
				0.3X10M	roll	7.5	7	6.5	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	1.2	1.05	0.31	0.11	0.11	0.004	UP TO 2 YEARS	three layers ,include back paper ,film,protection film (24 rolls each carton the carton size is 65cm*43cm*36cm)	
5	Brilliant lamp film		SLS-76(red) SLS-77(orange) SLS-78(transparent) SLS-79(purple) SLS-81(light blue) SLS-82(light black) SLS-84(dark black) SLS-85(ligt green) SLS-87(yellow)	0.3X10M	roll	11	10	9.6	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.165*-0.01	140	1.2	1.05	0.31	0.11	0.11	0.004	UP TO 2 YEARS	three layers ,include back paper ,film,protection film (24 rolls each carton the carton size is 65cm*43cm*36cm)	
				0.4X10M	roll	14.67	13.3	12.8	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.165*-0.01	140	1.6	1.43	0.41	0.11	0.11	0.005	UP TO 2 YEARS	three layers ,include back paper ,film,protection film (18 rolls each carton the carton size is 65cm*43cm*36cm)	

NO.	Product Name	Picture	Item No.and Color	Size	Unit	1~10 rolls (usd/roll)	FOB (usd/roll)	EXW (usd/roll)	Description	durable temperature	Installation	Thickness for film& glue (MM)	Backing paper(Gram)	G.W.(kg)/1R oil	N.W.(kg)/1R oil	Packaging length(m)	Packaging width(m)	Packaging height(m)	Paking Volume(m ³)	Life span	Remark
6	Chameleon lamp film (color changing)		RLS-76(red) RLS-77(orange) RLS-78(transparent) RLS-79(violet) RLS-80(pink) RLS-81(sky blue) RLS-82(light black) RLS-83(matte black)	0.3X10M	roll	7.5	7	6.5	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	1.2	1.05	0.31	0.11	0.11	0.004	UP TO 2 YEARS	three layers .include back paper ,film,protection film (24 rolls each carton the carton size is 65cm*43cm*36cm)
			RLS-84(black) RLS-85(light green) RLS-86(dark green) RLS-87(yellow)	0.4X10M		10	9.5	9	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14*-0.01	36PET	1.6	1.43	0.41	0.11	0.11	0.005	UP TO 2 YEARS	three layers .include back paper ,film,protection film (18 rolls each carton the carton size is 65cm*43cm*36cm)

NO.	Product Name	Picture	Item No.and Color	Size	Unit	1~10 rolls (usd/roll)	FOB (usd/roll)	EXW (usd/roll)	Description	durable temperature	Installation	Thickness for film& glue (MM)	Backing paper(Gram)	G.W.(kg)/1R oil	N.W.(kg)/1R oil	Packaging length(m)	Packaging width(m)	Packaging height(m)	Paking Volume(m ³)	Life span	Remark
7	Stylish lamp film		MY-76(red) MY-78(transparent) MY-79(purple) MY-82(light black) MY-86(dark green) MY-87(yellow)	0.3X10M	roll	11	10	9.6	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14"-0.01	36PET	1.2	1.05	0.31	0.11	0.11	0.004	UP TO 2 YEARS	three layers ,include back paper film,protection film (24 rolls each carton the carton size is 65cm*43cm*36cm)
			0.4X10M	14.67		13.3	12.8	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.14"-0.01	36PET	1.6	1.43	0.41	0.11	0.11	0.005	UP TO 2 YEARS	three layers ,include back paper film,protection film (18 rolls each carton the carton size is 65cm*43cm*36cm)	
8	Smooth Film (A-Class glossy)		GA-001(red) GA-002(yellow) GA-004(green) GA-005(blue) GA-006(black) GA-007(dark gray) GA-008(light gray) GA-009(white) GA-013(orange) GA-014(pink) GA-015(purple red)	1.52X30M	roll	210	205	200	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.15"-0.01	160	16	15	1.56	0.16	0.16	0.04	UP TO 5 YEARS	reusable restorable through heat gun
9	Smooth Film (A-Class sub-glossy)		GA-003(gold) GA-011(white) GA-012(black) GA-016(army green) GA-017(orange red) GA-018(red) GA-019(green) GA-020(purple)	1.52X30M	roll	210	205	200	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.15"-0.01	160	16	15	1.56	0.16	0.16	0.04	UP TO 5 YEARS	reusable restorable through heat gun
10	Protection Film (transparent)		GA-010(smooth)	1.52X30M	roll	210	205	200	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.18"-0.01	160	16	15	1.56	0.16	0.16	0.04	UP TO 5 YEARS	reusable restorable through heat gun
11	invisible clothes		GA-010(smooth)	0.10M*10M	roll	7	6	5	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.18"-0.01	160	0.43	0.37	0.11	0.11	0.105	0.001	UP TO 5 YEARS	reusable restorable through heat gun
				0.10M*30M		17	16	15						0.92	0.135	0.135	0.105	0.002			
				0.12M*10M		8	7	6						0.53	0.47	0.11	0.11	0.125	0.002		
				0.12M*30M		20	19	18						1.35	1.29	0.135	0.135	0.125	0.002		
				0.15M*10M		9	8	7						0.6	0.53	0.11	0.11	0.155	0.002		
				0.15M*30M		24	23	22						1.42	0.135	0.135	0.155	0.003			
12	Roof Film (Upscale-Smooth)		GM-01(black)	1.52X30M	roll	175	170	165	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.155"-0.01	36PET	15	14	1.56	0.16	0.16	0.04	UP TO 5 YEARS	make the top of car look like panorama sunroof
	Roof Film (Upscale-Smooth)		GMQ-01(black)	1.52X30M	roll	206	201	197	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.17"-0.01	140	19	18	1.56	0.16	0.16	0.04	UP TO 5 YEARS	make the top of car look like panorama sunroof
13	Textured sticker		TX-001(brushed silver) TX-004(Wine red) TX-005(dark gray)	1.27X30M	roll	110	105	100	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	without air channel , to paste with water	0.140	140	15	14	1.31	0.16	0.16	0.03	UP TO 2 YEARS	special effect
	Textured sticker (With air channel)		TXQ-001(brushed silver) TXQ-005(dark gray) TXQ-006(dark black) TXQ-007(gold)	1.52X30M	roll	170	165	160	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.160	140	16	15	1.56	0.16	0.16	0.04	UP TO 2 YEARS	look like stainless steel
14	Stylish color change film(Chameleon Film)		BS-01 (purple) BS-03 (blue) BS-05(blue) BS-08(purple)	1.42X30M	roll	206	201	197	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.225"-0.01	140	20	19	1.56	0.16	0.16	0.04	UP TO 5 YEARS	color conversion
			GS-001(purple) GS-002(blue)	1.42X30M	roll	206	201	197	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel , to paste without water	0.225"-0.01	140	20	19	1.56	0.16	0.16	0.04	UP TO 5 YEARS	color conversion

NO.	Product Name	Picture	Item No.and Color	Size	Unit	1~10 rolls (usd/roll)	FOB (usd/roll)	EXW (usd/roll)	Description	durable temperature	Installation	Thickness for film& glue (MM)	Backing paper(Gram)	G.W.(kg)/1R oil	N.W.(kg)/1R oil	Packaging length(m)	Packaging width(m)	Packaging height(m)	Paking Volume(m ³)	Life span	Remark
15	Camouflage Film		MC-01 (yellow) MC-02 (forest green) MC-03 (digital green)	1.52x30M	roll	190	185	180	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.16"-0.01	140	19	18	1.56	0.16	0.16	0.04	UP TO 5 YEARS	Military effect
			MC-04(black) MC-05(transparent)	1.52x30M	roll	190	185	180	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.16"-0.01	140	19	18	1.56	0.16	0.16	0.04	UP TO 5 YEARS	3D flash effect
16	Droplet film(A-Class)		SLF-01(black) SLF-02(transparent) SLF-03(white) SLF-04(green) SLF-05(blue) SLF-06(red) SLF-10(yellow) SLF-12(orange)	1.5X30M	roll	206	201	197	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.15"-0.01	140	16	15	1.56	0.16	0.16	0.04	UP TO 5 YEARS	(better than B-Class) 3D droplet effect
17	Dynamic film(A-Class)		MY-01(BLACK) MY-02(Transparent) MY-03(White) MY-04(green) MY-05(blue) MY-10(yellow)	1.5X30M	roll	206	201	197	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.16"-0.01	140	16	15	1.56	0.16	0.16	0.04	UP TO 5 YEARS	(better than B-Class) 3D dynamic effect
18	Brilliant Diamond matte film (A-Class)		SD-01(red) SD-02(yellow) SD-03(gold) SD-04(green) SD-05(blue) SD-06(black) SD-08(silver) SD-09(white) SD-10(transparent) SD-11(army green) SD-12(orange) SD-14(sub white) SD-15(purple red) SD-16(digital green) SD-19(dark gray) SD-20(purple) SD-22(pink)	1.5X30M	roll	206	201	197	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.165"-0.01	140	16	15	1.56	0.16	0.16	0.04	UP TO 5 YEARS	Shing effects under sunshine and light
19	Glossy Carbon Fiber		GCF-31(Black) GCF-32(gold) GCF-33(silver) GCF-34(white) GCF-35(dark blue) GCF-37(orange) GCF-38(pink) GCF-40(dark gray) GCF-41(green) GCF-42(purple) GCF-43(yellow)	1.52X30M	roll	180	165	150	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.17"-0.01	140	17	16	1.56	0.16	0.16	0.04	UP TO 5 YEARS	like the real carbon fiber
20	Special Efficiency Film (3D film)		QH-01(BLACK) QH-02(BLACK) QH-03(BLACK) QH-04(BLACK) QH-05(BLACK) QH-06(BLACK) QH-07(BLACK) QH-08(BLACK) QH-09(BLACK) QH-10(BLACK)	1.52X30M	roll	180	165	150	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.19"-0.01	140	16	15	1.56	0.16	0.16	0.04	UP TO 3 YEARS	
21	Chrome Film		UMQ-10(SILVER) UMQ-11(GOLD)	1.52X30M	roll	206	201	197	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.250	140	17	16	1.56	0.16	0.16	0.04	UP TO 3 YEARS	
			UMQ-12(blue) UMQ-13(RED) UMQ-14(GREEN) UMQ-15(black)	1.52X30M	roll	245	235	230	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.250	140	17	16	1.56	0.16	0.16	0.04	UP TO 3 YEARS	
			MQ-05(Black)	1.52X30M	roll	107	103	100	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.17"-0.01	140	16	15	1.56	0.16	0.16	0.04	UP TO 3 YEARS	
22	Carbon fiber sticker (coarse texture)		M-05(black)	1.27X30M	roll	58	55	52	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	without air channel .to paste without water	0.165"-0.01	140	14	13	1.31	0.16	0.16	0.03	UP TO 3 YEARS	
			SM-06(black)	1.52X30M	roll	245	235	230	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.200	140	17	16	1.56	0.16	0.16	0.04	UP TO 3 YEARS	
23	Stylish color change film(with brilliant diamond)		SM-06(black)	1.52X30M	roll	245	235	230	Germany raw material .Germany glue, Anti-UV	-30℃ to 140℃	with air channel .to paste without water	0.200	140	17	16	1.56	0.16	0.16	0.04	UP TO 3 YEARS	

NO.	Product Name	Picture	Item No.and Color	Size	Unit	1~10 rolls (usd/roll)	FOB (usd/roll)	EXW (usd/roll)	Description	durable temperature	Installation	Thickness for film& glue (MM)	Backing paper(Gram)	G.W.(kg)/1R oil	N.W.(kg)/1R oil	Packaging length(m)	Packaging width(m)	Packaging height(m)	Paking Volume(m ³)	Life span	Remark
24	Carbon fiber sticker (with brilliant diamond)		SC-06(black)	1.52X30M	roll	245	235	230	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel ,to paste without water	0.19"-0.01	140	16	15	1.56	0.16	0.16	0.04	UP TO 3 YEARS	
25	MATTE FILM (A-Class)		MTQ-1(red) MTQ-2(yellow) MTQ-3(gold) MTQ-4(green) MTQ-5(blue) MTQ-6(black) MTQ-7(gray) MTQ-8(silver) MTQ-9(white) MTQ-11 (army green) MTQ-12(orange) MTQ-13(pink)	1.52X30M	roll	130	125	120	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel ,to paste without water	0.17"-0.01	140	17	16	1.56	0.16	0.16	0.04	UP TO 5 YEARS	concave convex feeling better than B-class

NO.	Product Name	Picture	Item No.and Color	Size	Unit	1~10 rolls (usd/roll)	FOB (usd/roll)	EXW (usd/roll)	Description	durable temperature	Installation	Thickness for film & glue (MM)	Backing paper(Gram)	G.W.(kg)/1R oil	N.W.(kg)/1R oil	Packaging length(m)	Packaging width(m)	Packaging height(m)	Paking Volume(m ³)	Life span	Remark
	Protection Film		MTQ-10(matte transparent)	1.52X30M	roll	130	125	120	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel ,to paste without water	0.17"-0.01	140	17	16	1.56	0.16	0.16	0.04	UP TO 5 YEARS	reusable restorable through heat gun
26	Stylish color change film(alligator skin film)		CRS-001 (black) CRS-002 (gold) CRS-003 (silver) CRS-004 (gray) CRS-005 (green)	1.52x30M	roll	190	185	180	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel ,to paste without water	0.21"-0.01	140	20	19	1.56	0.16	0.16	0.04	UP TO 5 YEARS	Stylish film ,look like animal skins
	Stylish color change film(snake skin film)		SS-001 (black) SS-002 (gold) SS-003 (silver) SS-004 (gray) SS-005 (green)	1.52x30M	roll	190	185	180	Germany raw material ,Germany glue, Anti-UV	-30℃ to 140℃	with air channel ,to paste without water	0.195"-0.02	140	17	16	1.56	0.16	0.16	0.04	UP TO 5 YEARS	Stylish film ,look like animal skins
27	Fantasy Pearl Film(A-Class glossy)		GDS-01(red) GDS-02(yellow) GDS-03(gold) GDS-04(green) GDS-05(blue) GDS-06(black) GDS-07(gray) GDS-08(silver) GDS-09(white) GDS-10(purple) GDS-11(dark blue) GDS-12(orange) GDS-13(pink)	1.50X30M	roll	180	172	165	Germany raw material ,Germany glue, Anti-UV	-10℃ to 120℃	with air channel ,to paste without water	0.16"-0.01	140	17	16	1.56	0.16	0.16	0.04	UP TO 5 YEARS	Pearl effect
28	Doodle film (sticker bomb)		TY01-TY37 TY-01-TY09(new)	1.52x10M	roll	60	58	57		-10℃ to 120℃	with /without air channel ,to paste without water	0.11"-0.01	140	7	6	1.56	0.11	0.11	0.02	UP TO 3 YEARS	
29	Matte chrome		1601B-red 1604LB-light green 1604DB-dark green 1605B-blue 1609MB-ceramics white 1612B-orange 1613B-pink 1620B-purple 1625B-coffee	1.52x20M	roll	173	170	167	Germany raw material ,Germany glue, Anti-UV	-10℃ to 120℃	with air channel ,to paste without water	0.11"-0.01	140	14	13	1.56	0.16	0.16	0.04	UP TO 3 YEARS	
30	velvet		RB-06(black) RB-04(grass green) RB-07(coffee) RB-03(yellow) RB-06(grey) RB-01(red) RB-04(D:green) RB-05(blue)	1.32m*10m	roll	52	50	48	Imported Compositied fabric	-10℃ to 120℃	with air channel air bubble free	0.180	120	8.0	7.8	1.35	0.16	0.16	0.03	UP TO 2YEARS	